

REPORT ID AF-2026-575134	VERIFICATION CODE HT36-XY5A	CLIENT China Peptide Source	STATUS ACTIVE
PRODUCT Ovagen 10 mg	BATCH / LOT OVAG-81V6	SAMPLE RECEIVED Jul 28, 2026	ANALYSIS DATE Jul 30, 2026


CORE ANALYTICAL PANEL

TEST PARAMETER	METHOD	RESULT	SPECIFICATION	STATUS
Ovagen - Purity	RP-HPLC	99.30%	≥99.00%	Conforms
Ovagen - Mass Identity	LC-MS	375.37 Da	375.37 ± 2 Da	Conforms
Net Content Quantity	Gravimetric	10.024 mg	10 mg Target	Measured

BIOSAFETY & SCREENING

SAFETY TEST	METHOD	OBSERVED LEVEL	LIMIT	STATUS
Endotoxin Assay (LAL)	LAL	0.74 EU/mg	≤ 5.0 EU/mg	Pass
Heavy Metal Screen (ICP-MS)	ICP-MS	0.024 ppm	< 0.1 ppm	Pass

RP-HPLC CHROMATOGRAM



Column: C18 Reverse-Phase (4.6 × 150 mm, 3.5 μm) Flow Rate: 1.0 mL/min Wavelength: 214 nm

VERIFICATION

HT36-XY5A

<https://analyticalformulations.com/verify/HT36-XY5A>

Lab ID: AFL-001 · FormuVerify™



Scan to verify certificate